



**PERMIT TO ALLOW EMERGENCY USE OF AN AGVET CHEMICAL PRODUCT**

**FOR CONTROL OF TWOSPOTTED MITE IN MAIZE AND POPCORN**

**PERMIT NUMBER - PER82075**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 7 DECEMBER 2015 to 1 APRIL 2019**

**Permit Holder:**

MAIZE ASSOCIATION OF AUSTRALIA  
c/- Farm 1576  
YANCO NSW 2703

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Product to be used:

PARAMITE SELECTIVE FUNGICIDE  
PLUS OTHER REGISTERED PRODUCTS

Containing: 110 g/L ETOXAZOLE as their only active constituent.

### Directions for Use:

Crop Type	Insect Pest	Rate
MAIZE POPCORN	Twospotted mite ( <i>Tetranychus urticae</i> )	350 mL product / ha

### Critical Use Comments:

- Apply one (1) foliar spray only before mite numbers<sup>1</sup> reach economically damaging levels.
- Apply using fixed-wing aircraft or using ground boom spray or similar equipment.
- Ensure thorough coverage of all plant surfaces.
- Use medium spray quality or larger according to the ASAE S572 definition of nozzles.
  - Ground application - apply in at least 100 L/ha.
  - Aerial application - apply in at least 30 L/ha.
- Downwind buffer for aerial application only: DO NOT apply via air when there are livestock, pasture or any land that is producing feed for livestock downwind of the application area and within the mandatory no-spray zone of 20 metres. Refer: *Downwind buffer for aerial application*.
- Follow all label Restraints and recommendations.

Note 1: *Paramite* is a mite growth regulator that causes adults to lay sterile eggs and stops existing eggs and nymphs developing. *Paramite* is not effective as an adulticide treatment, and where large numbers of adults are present, it is recommended that a miticide from a different mode of action (MoA) group be used to control adults immediately.

### Withholding Periods:

Harvest: DO NOT harvest for 21 DAYS after application.

Grazing: DO NOT graze or cut for stock food for 21 DAYS after application.

### Jurisdiction:

ALL STATES, except VIC.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation does not require a permit to legalise this off-label use in this state.

### Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

### *Insecticide Resistance Management*

DO NOT apply more than one (1) application per season to avoid development of mite resistance. If additional mite control is required, use a registered miticides that has a different mode of action. For miticides that have the same mode of action, DO NOT use consecutive applications within and between seasons. When using insecticides/miticides to control other

pests of the host crop, consider the chemical group and the potential impact it may have on resistance development of mite pests.

***Downwind buffer for aerial application***

DO NOT apply by air when there are livestock, pasture or any land that is producing feed for livestock downwind of the application area and within the mandatory no-spray zone of 20 metres. Refer *Table 2* on product label: *No Spray Zones for the Protection on International Trade*.

<b>For aerial application (Maize and popcorn)</b>		
<b>Wind speed range at time of application</b>	<b>Downwind mandatory no-spray zones</b>	
	<b>Fixed-wing</b>	<b>Helicopter</b>
<b>From 3 to 20 kilometres per hour</b>	20 meters	20 meters

***Export of Treated Produce***

To allow treated produce to be supplied or otherwise made available for consumption, the following Temporary Maximum Residue Levels (TMRLs) has been established for Maize and Popcorn:

MAIZE                    T\*0.01 mg/kg  
 POPCORN                T\*0.01 mg/kg

These TMRL limits apply only to produce marketed and consumed in Australia. Where etoxazole treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries, and that any residues must not exceed those requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note:

1/11/2016. Added ‘other registered products’ to permit. Issued as version 2.