



**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL PRODUCT
FOR CONTROL OF TWOSPOTTED MITE IN MAIZE AND POPCORN**

PERMIT NUMBER – PER88259

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 20 JUNE 2019 TO 30 JUNE 2021

Permit Holder:

MAIZE ASSOCIATION OF AUSTRALIA
C/- Farm 1576
YANCO NSW 2703

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

PARAMITE SELECTIVE FUNGICIDE (APVMA No. 56791)
PLUS OTHER REGISTERED PRODUCTS

Containing: 110 g/L ETOXAZOLE as the only active constituent.

Directions for Use:

Crop Type	Insect Pest	Rate
MAIZE POPCORN	Two spotted mite (<i>Tetranychus urticae</i>)	350 mL product / ha

Critical Use Comments:

- Apply as foliar spray before mite numbers¹ reach economically damaging levels.
- Ensure thorough coverage of all plant surfaces.
- Apply using fixed-wing aircraft or ground boom spray or similar equipment.
Ground application: apply in at least 100 L/ha.
Aerial application: apply in at least 30 L/ha.
- Comply with spray drift restraints on the product label. Use medium spray quality or larger according to the ASAE S572 definition of nozzles.
- Mandatory no-spray zones apply when spraying near aquatic environments, livestock, pastures and land producing feed for livestock. Comply with mandatory no-spray zones listed on the product label for cotton.
- DO NOT apply more than one (1) application per season.
- DO NOT apply if rainfall is expected before spray has dried.
- DO NOT allow entry to treated areas until spray has dried, unless wearing personal protective equipment specified on the product label.

Note 1: *Paramite* is a mite growth regulator that causes adults to lay sterile eggs and stops existing eggs and nymphs developing. *Paramite* is not effective as an adulticide treatment, and where large numbers of adults are present, it is recommended that a miticide from a different mode of action (MoA) group be used to control adults immediately.

Insecticide Resistance Management

If additional mite control is required, use a registered miticides that has a different mode of action. For miticides that have the same mode of action, DO NOT use consecutive applications within and between seasons. When using insecticides/miticides to control other pests of the host crop, consider the chemical group and the potential impact it may have on resistance development of mite pests.

Withholding Periods:

Harvest: DO NOT harvest for 21 DAYS after application.

Grazing: DO NOT graze or cut for stock food for 21 DAYS after application.

Jurisdiction:

ALL STATES, except VIC.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation means a permit is not required to legalise this off-label use in that state.

Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

Export of Treated Produce

To allow treated produce to be supplied or made available for consumption, the following Temporary Maximum Residue Levels (TMRLs) have been established for Maize and Popcorn:

MAIZE	T0.01 mg/kg
POPCORN	T0.01 mg/kg

These TMRLs apply only to produce marketed and consumed in Australia. Where etoxazole treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries. Residues must not exceed requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: Use pattern previously permitted under PER82075.